

European Experience:  
Dr. Alexander Heylen  
Presentation at IFSO 2012  
Conference in New Delhi,  
India

# Patient Profile

000551

<b>Gender</b>	<i>Females</i>	<b>138</b>
	<i>Males</i>	<b>47</b>
<b>Age</b>	<i>Range</i>	<b>18-69</b>
	<i>Mean</i>	<b>39.7</b>
<b>Height (Inches)</b>	<i>Range</i>	<b>60-79</b>
	<i>Mean</i>	<b>66.25</b>
<b>Weight (lbs)</b>	<i>Range</i>	<b>181-384.5</b>
	<i>Mean</i>	<b>252.14</b>
<b>Ideal Weight (lbs)</b>	<i>Range</i>	<b>119.5-185</b>
	<i>Mean</i>	<b>139.67</b>
<b>Excess Weight (lbs)</b>	<i>Range</i>	<b>37.6-206.9</b>
	<i>Mean</i>	<b>112.46</b>
<b>BMI</b>	<i>Range</i>	<b>28-54</b>
	<i>Mean</i>	<b>41.47</b>

## Follow Up

	<b># Followed</b>	<b>FU %</b>
<b>1Y</b>	<b>184</b>	<b>99.45</b>
<b>2Y</b>	<b>183</b>	<b>98.91</b>
<b>3Y</b>	<b>183</b>	<b>98.91</b>
<b>4Y</b>	<b>29</b>	<b>15.67</b>

## Preoperative Co-morbidities

	#	Prevalence
<b>DM II</b>	<b>37</b>	<b>20%</b>
<b>Osteoarthritis</b>	<b>145</b>	<b>78.37%</b>
<b>GERD</b>	<b>115</b>	<b>62.16%</b>
<b>Stress Urinary Incontinence</b>	<b>62</b>	<b>33.51%</b>
<b>Coronary Artery Dis</b>	<b>4</b>	<b>2.16%</b>

# Perioperative complications


<b>Leaks</b>	<b>0</b>
<b>Bleeding</b>	<b>0</b>
<b>Gastric Outlet Stenosis</b>	<b>0</b>

# Late complications


<b>Gastric Outlet Stenosis</b>	<b>7</b>
<b>Marginal Ulcer</b>	<b>3</b>
<b>Ring Erosion</b>	<b>0</b>

# Weight Loss (lbs) against Time (yrs)

000556





Year	WL
1Y	82.73
2Y	90.94
3Y	92.1
4Y	96.31



# Percentage Weight Loss against Time (yrs)


000557




Year	PWL
<b>1Y</b>	<b>32.53</b>
<b>2Y</b>	<b>35.76</b>
<b>3Y</b>	<b>36.26</b>
<b>4Y</b>	<b>36.71</b>



### Percentage Excess Weight Loss against Time (yrs)



Year	PEWL
1Y	74.09
2Y	81.5
3Y	82.8
4Y	81.71



# Resolution of co-morbidities

<b>Presurg. Comorbidity</b>	<b>Presurgery</b>	<b>Postsurgery</b>	<b>Resolution %</b>
<b>DM II</b>	<b>37</b>	<b>0</b>	<b>100</b>
<b>Osteoarthritis</b>	<b>145</b>	<b>1</b>	<b>99.31</b>
<b>GERD</b>	<b>115</b>	<b>2</b>	<b>98.26</b>
<b>Stress Urinary Incontinence</b>	<b>62</b>	<b>0</b>	<b>100</b>
<b>Coronary Artery Disease</b>	<b>4</b>	<b>2</b>	<b>50</b>

# Success Rate

<b>1Y</b>	<b>99.45 %</b>
<b>2Y</b>	<b>98.36 %</b>
<b>3Y</b>	<b>96.7 %</b>
<b>4Y</b>	<b>100 %</b>